









Technical features:

- electric steel towel warmer radiator
- 23 mm diameter horizontal round bar heating elements
- 30 mm diameter round lateral manifolds
- complete with thermal liquid
- electric heater, Class II (double insulation), provided with wireless electronic control
- The radiator is filled with a cooling liquid and is combined with a booster system of electric power of 1000 watts. This blower system provides a temperature uniform with the room in which it is installed.
- The Wireless control, in addition to monitoring and setting the desired temperature, has the following functions: Comfort operation, nighttime reduced, antifreeze and programmed stop.
- single phase power supply 220 230 V, 50 Hz, Class II, IP44
- maximum capacity of the towel rails: 7 kg

Price included:


- 3 adjustable wall fixing brackets in the same color of the radiator
- Wireless remote control

Finishes available	Surcharge	
Standard White		
Classic finished		
Special finished		
Other RAL colors		

Finishing codes see page 596.




Booster



MAIN CHARACTERISTICS OF AIR DIFFUSER


- ON/OFF switch
- Power supply 230 V 50 Hz, 1 ph
- Power installed = 1000 W
- Insulation: CLASS II
- Protection index: IP24
- Long electricity cable: 1.200 mm, SCHUKO plug
- Wireless remote control

Electric



CE

Model	Code	e	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt	Auxiliary heater with diffuser Watt	
1076 20 rails 1 espace	GCM055 Z 01 IR	₹ 01 NNN	122	1138	555	26,5	500	+ 1000	
1499 25 rails 2 espace	GCL055 Z 01 IR	01 NNN	122	1561	555	33,8	750	+ 1000	



Wireless Remote Control

GET UP AIR ELECTRIC with wireless thermostat is equipped with a wireless controller that allows remote management of every electric radiator function. Because the controller is wireless, it has the advantage of being quick and easy to install and does not require any modifications within the home.

Technical specifications

- Wireless communication via radio signals transmitted to the receiver connected to the system
- Radiofrequency communication pursuant to European standards
- Operating modes: Manual, Automatic, Comfort, Economy, Holidays
- You can activate 3 manual functions, automatic and holiday
- Can be set comfort temperature of 5°C to 30°C
- Optional ITCS (Intelligent Temperature Control System)
- Open window detection function

